

Why Nile Drip ?

Nile Drip Company is considered one of the biggest companies manufacturing Drip Irrigation Pipes and supplying all modern irrigation requirements in Egypt , for the coming reasons :

First , Nile Drip is keen to manufacture the PE pipes both blank pipes OD from 16 mm to 75 mm , and Drip Irrigation Pipes (GR) OD 16 mm , 18 mm and 20 mm using unique anti-block American design drippers and 100% pure raw materials .

Second, Nile Drip is an Agent for the biggest international companies in the field of modern irrigation systems , all types of filters , outside Emitters and also Mazzei Injectors all sizes. Third , we manufacture all types and sizes of greenhouses ; ordinary greenhouse , greenhouse with ventilation sustems , single greenhouse & multi span greenhouse .

Forth , we have the Agricultural projects & consultation department in order to design , supply and install all modern irrigation systems types .

Fifth , We have a well trained team work of Quality Control and sales staff to help achieving the after sale service for all our customers .

Finally , Nile Drip with its huge fleet of vehicles is covering the whole countryside , and opening many foreign markets for the high quality Egyptian product that competes many of American & European products and to restore to minds the position of " Made In Egypt " .
This is " why Nile Drip " .

Nile Drip PE Irrigation Pipes


NILE DRIP Blank Pipes

- Black in color
- Manufactured from high performance virgin polyethylene using advanced extrusion technology.
- Excellent characteristics of LLDPE provide durable tubing with close dimensional tolerances.
- UV stabilized.
- No environmental effects.
- Smooth inner surface minimizes frictional losses.
- On demand, can be supplied with rodent deterrent feature.
- Available in 16 , 18 , 20 , 25 , 32 , 50 , 63 , 75 mm OD sizes



NILE DRIP Drip Irrigation Pipes

- Manufactured from high performance virgin polyethylene using advanced extrusion technology.
 - Use of state-of-the-art technology ensures close dimensional tolerance.
 - Multiple inlet filters provides large filtration area to avoid clogging due to physical contaminations.
 - Cylindrical shape permits wide flow path cross section to avoid clogging due to salt precipitation.
 - Available in 16, 18, 20 mm OD sizes.
 - Available in standard dripper spacing 20, 30, 40, 50, 60, 75 & 100 cms.
- Other spacing and group spacings are available on demand.



Note: Performance graph for J-Turbo Line® as per Pressure Class-2.

